
J38220 ULTRA GREEN Semi Gloss 230

DRAFT | Microporous Coated Paper

Printability

· simplex printable



Product Specification

Property	Test Method	Dimension	Target	Tolerance
Weight	DIN EN ISO 536	g/m²	231	± 7
Thickness	DIN EN ISO 534	μm	230	± 6
	DIN EN ISO 536	mil	9,1	± 0,3
Gloss BYK	ISO 2813	60°	48	± 5
Colour Elrepho UVO (D65)	ISO 2469	L	96,4	± 0,6
		a	-0,1	± 0.4
		b	1,5	± 0.7
		delta b	9,4	± 0,7
CIE Whiteness (D65/10°) min.	ISO 2469		> 125	
Opacity min.	ISO 2469	%	> 94	

Printing Technology



Key Applications

- · The sustainable solution for point-of-sale advertising materials in high-end photo quality
- POS signage; exhibition graphics; commercial posters
- · Poster / Wall Decoration
- Photo prints
- · Sign & Display Graphics



Version: 02/2024

Store material only in original packaging under normal climatic conditions (23°C, 50 % RH). Protect material from direct sunlight. It is recommended to adapt the material to indoor climate at least 24 hours before usage.

J38220 ULTRA GREEN Semi Gloss 230

DRAFT | Microporous Coated Paper

Benefits & Properties

- · 100 % polyethylene-free
- · Photorealistic print results
- · Pin-sharp details
- · Vivid colours
- · High colour consistency and gamut
- High opacity
- · High light fastness with pigmented inks
- · Maximum scratch resistance
- · Made in Germany

Version: 02/2024

